

Freedom! Occupational Audiometric System

(Preliminary specifications and pricing – subject to change)



Features:

- Very portable - no installation wiring required – the whole audiometer fits in your hand!
- Connects to control computer via Bluetooth® (30 ft. range)
- Full page printed report at end of test (if printer attached to computer)
- Control up to 6 simultaneous tests from one easy to use computer screen
- Optional calibration monitor/ambient noise monitor in development
- Companion database/reporting software available
- Low cost: \$2590 US for first station (includes control software). Additional stations (maximum 6) as low as \$1295 US. Request quote for the configuration you need.

Specifications:

- Compatibility: Windows XP SP2 or later (works with Vista)
- Frequencies: 500, 1k, 1.5k, 2k, 3k, 4k, 6k, and 8k Hz
- Output Levels: -10 dB to 90 dB HL
- Presentation: Steady or pulse tone
- Test Modes: Manual, automated Hughson-Westlake, automated Australian/New Zealand
- Calibration: ANSI S3.6-2004 standard
- Transducers: TDH-39
- Approvals: Meets all applicable US and international standards
- Power: (2) AA rechargeable batteries and supplied 5V DC charger
- Weight: 5.5 oz. (156 gms.) plus transducers (per station)

Digital Hearing Systems Corp.
9679 E High Meadows, Rogers, AR 72756
(479) 925-7700 email: sales@dhsc.com